★ 醫y Äir



仅限货机 CAO





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

危险品

样品名称: 可充电锂电池组HQSD-24/7.5-7S3P 24V 7.5Ah 180Wh

Sample name: Lithium-ion battery HQSD24/7.5-7S3P 24V 7.5Ah 180Wh

委托单位: 苏州华骞时代新能源科技有限公司

Suzhou Huaqian Contemporary New Energy Technology Co., ltd

生产单位: 苏州华骞时代新能源科技有限公司

Suzhou Huaqian Contemporary New Energy Technology Co., 1td

SICIT上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





NO. 212200705264990

Page 1/3

		C	ertification for Safe Tr	ansport of Chemical G	foods	rag	ge 1/3
样品.		中文 Chinese		1/7.5-7S3P 24V 7.5Ah 18			
Sample	e Nam	英文 English	Lithium-ion battery HQSD24/7.5-7S3P 24V 7.5Ah 180Wh				
委托单位 Consignor			苏州华骞时代新能源科技有限公司 Suzhou Huaqian Contemporary New Energy Technology Co., ltd				
生产单位 Manufacturer			苏州华骞时代新能源科技有限公司 Suzhou Iluaqian Contemporary New Energy Technology Co., ltd				
检验方法、程序 Inspection method and procedure							
样品外观 Sample appearance			黑色塑胶外壳 Black Plastics cement shell				
包装件信息 Package information		information					
序号 NO.		电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
		电锂离子电池组 argeable Li-ion battery	HQSD24/7. 5-7S3P	7. 5Ah 180Wh	电池单独运输 Battery only	1.34	12
鉴定结论	FI CATI ON CONCL USI ON	Shipping name:Lin Class or division IN Number:UN3480 3. 包装要求(Pac 安包装说明965第1/	kaging requirements 部分要求办理。 ckaged according to the	5)		ling to IATA	DGR)
备注 Comm	l l	检验日期: Inspection Date	2021-12-22 签发日 i: Issue Da	2021-12-22	生效日期: Effective Date:	2701-01 WH H	が、

批准 Approver:

审核 Checker:

主检 Appraiser: 研情



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200705264990 Page 2/3

序号						
No.	世祖结未及共他事 项					
	Inspection results and other things					
1	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。本报告所述锂电池不属于因安全原因召回的锂电池。本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.					
2	本报告所述锂电池已通过《联合国试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part 111, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100000750681 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.					
3	锂电池必须完全封装在内包装内,位于坚固的外包装中。完成包装件必须满足II级包装的性能要求。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. The completed package must meet the Packing Group II performance requirements.					
4	电池具有近当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.					
5	每个包装件必须使用9类锂电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).					
6.	根据委托单位声明,本报告所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the consignor, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.					
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).					
	-验证码:372316-					

货物运输条件鉴定书


Certification for Safe Transport of Chemical Goods

NO. 212200705264990 Page 3/3









Lot

Lithium-ion Batteries

Product Model: HQSD24/7.5-753P 24V7.5Ah 180Wh

Walter

Nominal Voltage: 24V Rated Capacity: 7.5Ah Watt-hour 180Wh

Rated Charge Current: 1.5A Limited Charge Voltage: 29.4V Production Date: 06/2021





Suzhou Huaqian Contemporary New Energy Technology Co...ltd

NO.650 Chang' an Road, Wujiang, Jiangsu

报告结束

